



Overganger

Rustfrie/Syrefaste

Med Sertifikat iflg. EN 10204/3.1.B

* ISO / DIN / ANSI / METRISK

* Utførelse:

INDUSTRI

MEIERI / NÆRINGSMIDDEL

PHARMASØYTISK

						RUSTFRIE		SYREFASTE			
						AISI 304L/(304)		AISI 316L/(316)			A-815
											DUPLEX
						Industri	Meieri	Industri	Meieri	Pharma	Industri
											UNS
											S31803
DIMENSJON						RL.nr.	RL.nr.	RL.nr.	RL.nr.	RL.nr.	RL.nr.
Du x du	tykk	Norm / Sch.	KON./ EXC.	KG/STK	L MM						
8x6	1.0		KON	0.01						17702901	
10x8	1.0		KON	0.01						17702903	
12x10	1.0		KON	0.01						17702906	
17.2x13.5	1.6		KON	0.02						17707801	
18x12	1.0		KON	0.01						17702909	
18x12	1.0		EXC	0.01						17703001	
21.3x17.2	1.6		KON	0.02						17707803	
21.3x17.2	2.0		KON	0.03	13.0			18014600			
25x12	1.0		KON	0.03	20.0				17200901	17702912	
25x18	1.0		KON	0.02						17702915	
25x18	1.0		EXC	0.02						17703006	
26.7x21.3	2,9-2,8	3/4"x1/2" s.40S	KON	0.07	38.1			18315100			84310000
26.7x21.3		3/4"x1/2" s.80S	KON	0.12	38.1			18315400			
26.9x17.2	2.0		KON	0.03	29.2			18014700			
26.9x17.2	2.0		KON	0.03	29.2			18014800			
28x12	1.5	DN25x10	KON	0.03	23.0		17103701		17202901		
28x18	1.5		KON	0.02	30.0			18014840			
28x23	1.5		KON	0.02	15.0			18014860			
28x22	2.0	DN25x20	KON	0.03	24.0		17103703		17202906		
29x19	2.0		KON	0.03	30.0			18014900			
29x24	2.0		KON	0.03	15.0			18015000			
33.4x21.3	3,4-2,8	1"x1/2" s.40S	KON	0.18	50.8			18315500			84310100
33.4x21.3		1"x1/2" s.80S	KON	0.23	50.8			18315600			
33.4x21.3	6,6-4,8	1"x1/2" s.160S	KON	0.50	50.8			18315620			
33.4x26.7	3,4-2,9	1"x3/4" s.40S	KON	0.18	50.8			18315700			84310200
33.7x21.3	1.6		KON							17707806	
33.7x21.3	2.0		KON	0.05	37.0			18015100			
33.7x21.3	2.0		EXC	0.05	37.0			18015200			
33.7x26.9	2.0		KON	0.03	20.0			18015300			
33.7x26.9	2.0		EXC	0.03	20.0			18015350			
34x24	2.0		KON	0.04	36.0			18015380			
34x28	1.5	DN32x25	KON	0.04	25.0		17103706		17202909		



Overganger

Rustfrie/Syrefaste

Med Sertifikat iflg. EN 10204/3.1.B

* ISO / DIN / ANSI / METRISK

* Utførelse:

INDUSTRI

MEIERI / NÆRINGSMIDDEL

PHARMASØYTISK

						RUSTFRIE		SYREFASTE			
						AISI 304L/(304)		AISI 316L/(316)			A-815
						Industri	Meieri	Industri	Meieri	Pharma	DUPLEX Industri
											UNS S31803
DIMENSJON						RL.nr.	RL.nr.	RL.nr.	RL.nr.	RL.nr.	RL.nr.
Du x du	tykk	Norm / Sch.	KON/ EXC.	KG/STK	L MM						
34x29	2.0		KON	0.03	21.0	17909200		18015400			
36x24	2.0		KON	0.03	36.0			18015500			
38x25	1.3	1.1/2"x1"	KON	0.05	39.0		17100701		17200903	17700503	
38x25	1.3	1.1/2"x1"	EXC	0.05	39.0		17131500		17201001	17700701	
40x28	1.5	DN40x25	KON	0.11	26.0		17103709		17202912		
40x28	1.5	DN40x25	EXC	0.11	26.0		17103801				
40x34	1.5	DN40x32	KON	0.14	23.0		17103712		17202915		
42.2x33.4	3,6-3,4	1.1/4"x1" s.40S	KON	0.22	50.8			18315800			
42.4x21.3	2.0		KON	0.12	63.0			18015550			
42.4x26.9	2.0		KON	0.08	46.0			18015600			
42.4x26.9	2.0		EXC	0.08	46.0			18015700			
42.4x33.7	2.0		KON	0.05	26.0			18015800			
44.5x29	2.0		KON	0.07	45.0			18015900			
44.5x34	2.0		KON	0.04	24.0			18016000			
48.3x26.9	2.0		KON	0.12	63.5			18016100			
48.3x26.9	2.0		EXC	0.12	63.5			18016200			
48.3x33.7	2.0		KON	0.09	43.0			18016300		17707809	
48.3x33.7	2.0		EXC	0.09	43.0			18016400			
48.3x42.4	2.0		KON	0.04	33.0			18016500			
48.3x21.3	3,7-2,8	1.1/2"x1/2" s.40S	KON	0.26	63.5			18315870			84310300
48.3x21.3		1.1/2"x1/2" 80S/40S	KON	0.42	63.5			18315900			
48.3x26.7	3,7-2,9	1.1/2"x3/4" s.40S	KON	0.26	63.5			18316000			84310400
48.3x26.7		1.1/2"x3/4" s.80S	KON	0.38	63.5			18316100			
48.3x33.4	3,7-3,4	1.1/2"x1" s.40S	KON	0.26	63.5			18316200			84310500
51x25	1.3	2"x1"	KON	0.10	78.0		17100703		17200906	17700506	
51x25	1.3	2"x1"	EXC	0.10	78.0		17100801		17201003	17700703	
51x38	1.3	2"x1.1/2"	KON	0.07	39.0		17100709		17200912	17700509	
51x38	1.3	2"x1.1/2"	EXC	0.07	39.0		17100803		17201006	17700706	
52x25	1.5	DN50x25	EXC	0.07			17103803				
52x40	1.5	DN50x40	KON	0.06	27.0		17103715		17202918		
52x40	1.5	DN50x40	EXC	0.06	27.0		17103806				
54x29	2.0		KON	0.14	75.0	17909240		18016600			
54x34	2.0		KON	0.12	54.0			18016700			
54x36	2.0		KON	0.11	51.0			18016800			



Overganger

Rustfrie/Syrefaste

Med Sertifikat iflg. EN 10204/3.1.B

* ISO / DIN / ANSI / METRISK

* Utførelse:

INDUSTRI

MEIERI / NÆRINGSMIDDEL

PHARMASØYTISK

						RUSTFRIE		SYREFASTE			
						AISI 304L/(304)		AISI 316L/(316)			A-815
											DUPLEX
						Industri	Meieri	Industri	Meieri	Pharma	Industri
											UNS
											S31803
DIMENSJON						RL.nr.	RL.nr.	RL.nr.	RL.nr.	RL.nr.	RL.nr.
Du x du	tykk	Norm / Sch.	KON./	KG/STK	L						
			EXC.		MM						
54x44	2.0		KON	0.07	30.0	17909250		18016900			
60.3x26,9	2.0		KON	0.24				18016950			
60.3x26,9	2.0		EXC	0.24				18017000			
60.3x33.7	2.0		KON	0.19	79.0			18017100		17707815	
60.3x42.4	2.0		KON	0.14	53.0			18017200			
60.3x42.4	2.0		EXC	0.14	53.0			18017300			
60.3x48.3	2.0		KON	0.10	36.0	17909300		18017400		17707812	
60.3x26.7		2"x3/4"s.40S/10S	KON					18316350			
60.3x26.7		2"x3/4"s.40S	KON					18316400			
60.3x26.7		2"x3/4"s.80S	KON					18316550			
60.3x33.4		2"x1" s.10S	KON		76.2			18316600			
60.3x33.4		2"x1" s.10S/40S	KON		76.2			18316700			
60.3x33.4	3,9-3,4	2"x1" s.40S	KON	0.34	76.2			18316800			
60.3x33.4	5,5-4,5	2"x1" s.80S	KON	0.50	76.2			18316900			
60.3x48.3	2,8-2,8	2"x1.1/2" s.10S	KON	0.31	76.2			18317200			
60.3x48.3		2"x1.1/2" s.10S/40S	KON	0.35				18317300			
60.3x48.3	3,9-3,7	2"x1.1/2" s.40S	KON	0.40	76.2			18317400			
60.3x48.3	5,5-5,1	2"x1.1/2" s.80S	KON	0.54	76.2			18317500			
63.5X25	1.5	2.1/2"x1"	KON	0.16					17200909		
63.5x38	1.5	2.1/2"x1.1/2"	KON	0.12	78.0		17100712		17200915		
63.5x38	1.5	2.1/2"x1.1/2"	EXC	0.12	78.0		17100806		17201009		
63.5x51	1.5	2.1/2"x2"	KON	0.08	39.0		17100715		17200918	17700600	
63.5x51	1.5	2.1/2"x2"	EXC	0.08	39.0		17100809		17201012	17700709	
69x44	2.0		KON	0.20	75.0	17909400		18017500			
69x54	2.0		KON	0.13	45.0	17909500		18017600			
69x54	2.0		EXC	0.13	45.0			18017650			
70x40	2.0	DN65x40	KON	0.20	56.0		17103718				
70x54	2.0	DN65x50	KON	0.13	29.0		17103721		17202921		
70x54	2.0	DN65x50	EXC	0.13	29.0		17103809				
76x25	2.0	3"x1"	KON						17200921		
76x38	2.0	3"x1.1/2"	KON						17200924		
76x38	2.0	3"x1.1/2"	EXC	0.24	107.0		17100812				
76x51	2.0	3"x2"	KON	0.21	78.0				17200927	17700601	
76x51	2.0	3"x2"	EXC	0.21	78.0		17100815		17201015		
76x56	3.0		KON	0.20	60.0			18017700			
76x56	3.0		EXC	0.20	60.0			18017750			
76x63.5	2.0	3"x2.1/2"	KON	0.11	39.0				17200930		
76x63.5	2.0	3"x2.1/2"	EXC	0.11	39.0		17100818		17201018		



Overganger

Rustfrie/Syrefaste

Med Sertifikat iflg. EN 10204/3.1.B

* ISO / DIN / ANSI / METRISK

* Utførelse:

INDUSTRI

MEIERI / NÆRINGSMIDDEL

PHARMASØYTISK

						RUSTFRIE		SYREFASTE			
						AISI 304L/(304)		AISI 316L/(316)			A-815
											DUPLEX
						Industri	Meieri	Industri	Meieri	Pharma	Industri
											UNS
											S31803
											RL.nr.
DIMENSJON			KON./		L	RL.nr.	RL.nr.	RL.nr.	RL.nr.	RL.nr.	RL.nr.
Du x du	tykk	Norm / Sch.	EXC.	KG/STK	MM						
76.1x26.9	2.0		KON					18017790			
76.1x26.9	2.0		EXC					18017800			
76.1x33.7	2.0		KON	0.35	126.0			18017900			
76.1x33.7	3.0		KON	0.54	126.0			18018000			
76.1x48.3	2.0		KON	0.26	82.0			18018100			
76.1x48.3	2.0		EXC	0.26	82.0			18018150			
76.1x48.3	3.0		KON	0.39	82.0			18018200			
76.1x60.3	2.0		KON	0.16	48.0			18018300		17707818	
76.1x60.3	3.0		KON	0.24	48.0			18018400			
84x44	2.0		KON	0.36	120.0	17909600		18018500			
84x54	2.0		KON	0.30	90.0	17909700		18018600			
84x54	2.0		EXC	0.30	90.0			18018650			
84x69	2.0		KON	0.17	45.0	17909730		18018700			
85x52	2.0	DN80x50	KON	0.15	45.0		17103724		17202924		
85x52	2.0	DN80x50	EXC	0.15	45.0		17103812				
85x70	2.0	DN80x65	KON	0.10	33.0		17103727		17202927		
85x70	2.0	DN80x65	EXC	0.10	33.0		17103815				
86x56	3.0		KON	0.17	90.0			18018800			
88.9x33.7	2.0		KON					18018820			
88.9x33.7	2.0		EXC					18018830			
88.9x48.3	2.0		KON	0.42	122.0			18018900			
88.9x48.3	2.0		EXC	0.42	122.0			18018850			
88.9x60.3	2.0		KON	0.32	85.0	17909800		18019000			
88.9x60.3	2.0		EXC	0.32	85.0			18019050			
88.9x60.3	2.3		KON							17707821	
88.9x76.1	2.0		KON	0.16	38.0	17909900		18019100			
88.9x76.1	3.0		KON	0.24	38.0			18019200			
88.9x48.3		3"x1.1/2" s.10S	KON		88.9			18317800			
88.9x48.3	5,5-3,7	3"x1.1/2" s.40S	KON	0.77	88.9			18317900			
88.9x48.3	7,6-5,1	3"x1.1/2" s.80S	KON	1.13	88.9			18318000			
88.9x60.3	3,05-2,77	3"x2" s.10S	KON	0.55	88.9			18318100			
88.9x60.3	5,5-3,9	3"x2" s.40S	KON	0.81	88.9			18318200			
88.9x60.3	7,6-5,5	3"x2" s.80S	KON	1.18	88.9			18318300			
101.6x51	2.0	4"x2"	KON	0.55	150.0				17200936		
101.6x63.5	2.0	4"x2.1/2"	KON	0.43	117.0				17200939		
101.6x76	2.0	4"x3"	KON	0.35	78.0				17200933		
101.6x76	2.0	4"x3"	EXC	0.35	78.0		17100821		17201021		



Overganger

Rustfrie/Syrefaste

Med Sertifikat iflg. EN 10204/3.1.B

* ISO / DIN / ANSI / METRISK

* Utførelse:

INDUSTRI

MEIERI / NÆRINGSMIDDEL

PHARMASØYTISK

						RUSTFRIE		SYREFASTE				
						AISI 304L/(304)		AISI 316L/(316)			A-815	
											DUPLEX	
						Industri	Meieri	Industri	Meieri	Pharma	Industri	
											UNS	
											S31803	
DIMENSJON						RL.nr.	RL.nr.	RL.nr.	RL.nr.	RL.nr.	RL.nr.	
Du x du	tykk	Norm / Sch.	KON/	KG/STK	L							
			EXC.		MM							
104x54	2.0	DN100x50	KON	0.20	50.0		17103730		17202930			
104x54	2.0		KON	0.57	150.0	17910000		18019300				
104x69	2.0		KON	0.44	105.0			18019400				
104x70	2.0	DN100x65	KON	0.22	44.0		17103733		17202933			
104x84	2.0		KON	0.27	60.0	17910100		18019500				
106x56	3.0		KON	0.84	150.0			18019700				
106x56	3.0		EXC	0.84	150.0			18019600				
106x71	3.0		KON	0.53	150.0			18019800				
106x76.1	3.0		KON	0.48	90.0			18019900				
114.3x42.4	2.0		KON					18019950				
114.3x42.4	2.0		EXC					18020000				
114.3x60.3	2.0		KON	0.67	162.0			18020200				
114.3x60.3	3.0		KON	1.00	162.0	17910200		18020100				
114.3x76.1	2.0		KON	0.37	113.0			18020300				
114.3x76.1	3.0		KON	0.55	113.0			18020400				
114.3x88.9	2.0		KON	0.39	75.0			18020600				
114.3x88.9	2.0		EXC	0.39	75.0			18020650				
114.3x88.9	3.0		KON	1.17	75.0	17910300		18020500				
114.3x60.3	3,05-2,77	4"x2" s.10S	KON	0.78	101.6			18318400				
114.3x60.3	6,0-3,9	4"x2" s.40S	KON	1.36	101.6			18318500				
114.3x60.3	8,6-5,5	4"x2" s.80S	KON	1.92	101.6			18318600				
114.3x88.9	3,05-3,05	4"x3" s.10S	KON	0.87	101.6			18318800				
114.3x88.9	6,0-5,5	4"x3" s.40S	KON	1.53	101.6			18318900				
114.3x88.9	8,6-7,6	4"x3" s.80S	KON	2.04	101.6			18319000				
129x84	2.0		KON	0.70	135.0	17910500		18020700				
129x104	2.0		KON	0.43	75.0	17910400		18020800				
131x106	3.0		KON	0.70	75.0			18020900				
139.7x88.9	2.0		KON	0.88	150.0			18021000				
139.7x114.3	2.0		KON	0.49	75.0			18021200				
139.7x114.3	3.0		KON	1.47	75.0	17910600		18021100				
154x84	2.0		KON	1.22	210.0	17910680		18021300				
154x104	2.0		KON	0.95	150.0	17910700		18021400				
154x129	2.0		KON	0.52	75.0	17910800		18021500				
156x106	3.0		KON	1.43	150.0			18021660				
156x106	3.0		EXC	1.43	150.0			18021640				
168.3x88.9	2.0		KON	1.95	233.0			18021700				



Overganger

Rustfrie/Syrefaste

Med Sertifikat iflg. EN 10204/3.1.B

* ISO / DIN / ANSI / METRISK

* Utførelse:

INDUSTRI

MEIERI / NÆRINGSMIDDEL

PHARMASØYTISK

						RUSTFRIE		SYREFASTE			
						AISI 304L/(304)		AISI 316L/(316)			A-815
						Industri	Meieri	Industri	Meieri	Pharma	DUPLEX Industri
											UNS S31803
DIMENSJON						RL.nr.	RL.nr.	RL.nr.	RL.nr.	RL.nr.	RL.nr.
Du x du	tykk	Norm / Sch.	KON/ EXC.	KG/STK	L MM						
168.3x114.3	2.0		KON	1.16	160.0			18021800			
168.3x139.7	2.0		KON	0.67	85.0			18022000			
168.3x139.7	3.0		KON	1.01	85.0	17910900		18021900			
168.3x88.9	3,4-3,05	6"x3" s.10S	KON	1.82	139.7			18319100			
168.3x88.9	7,1-5,5	6"x3" s.40S	KON	3.63	139.7			18319200			
168.3x88.9	7,1-5,6	6"x3" s.40S	EXC	3.63	139.7			18321700			
168.3x114.3	3,4-3,05	6"x4" s.10S	KON	1.95	139.7			18319300			
168.3x114.3	7,1-6,0	6"x4" s.40S	KON	3.74	139.7			18319400			
204x104	2.0		KON	2.28	300.0	17911000		18022100			
204x129	2.0		KON	1.85	225.0	17911100		18022200			
204x154	2.0		KON	1.33	150.0	17911200		18022300			
206x106	3.0		KON	3.40	300.0			18022340			
206x156	3.0		KON	2.00	150.0			18022360			
219.1x114.3	2.0		KON	2.85	315.0			18022400			
219.1x114.3	3.0		KON	4.26	315.0	17911400					
219.1x139.7	2.0		KON	2.17	235.0			18022600			
219.1x139.7	3.0		KON	3.24	235.0	17911300		18022500			
219.1x168.3	2.0		KON	1.50	150.0			18022800			
219.1x168.3	3.0		KON	2.25	150.0	17911500		18022700			
219.1x114.3	3,8-3,05	8"x4" s.10S	KON	3.01	152.4			18319500			
219.1x168.3	3,8-3,4	8"x6" s.10S	KON	3.19	152.4			18319600			
219.1x168.3	8,18-7,11	8"x6" s.40S	KON	6.94	152.4			18319700			
254x129	2.0		KON	3.56	375.0	17911600		18022900			
254x154	2.0		KON	3.04	300.0	17911700		18023000			
254x204	2.0		KON	1.71	150.0	17911800		18023100			
256x156	3.0		KON	4.56	300.0			18023140			
256x156	3.0		EXC	4.56	300.0			18023150			
256x206	3.0		KON	2.57	150.0			18023170			
273x219.1	2.0		KON	2.02	160.0			18023300			
273x219.1	3.0		KON	3.03	160.0	17911900		18023200			
273x219.1	4,2-3,8	10"x8" s.10S	KON	5.20	177.8			18319900			
304x254	2.0		KON	2.10	150.0	17912000					
306x156	3.0		KON	7.70	450.0	17912100		18023340			
306x206	3.0		KON	5.70	300.0	17912150		18023350			

